

NEW SIZE

# LG

Tip Top Guide with  
Stainless Steel




## LG型トップガイド

Both for light spinning & casting rod. The small tip top has the sloped bridge which prevents tangling.

磯上物竿、ルアー、船小物など  
スピニング・ベイトキャスティング両用。

糸絡みしにくい傾斜ブリッジつき小型トップガイド



● Deep Pressed Frame  
深絞りフレーム

## Size Chart

Ring Size	Pipe Size	L mm	H mm	O/D mm	Ring Size	Pipe Size	L mm	H mm	O/D mm
4	-0.8	9.5	4.5	1.00	NEW	5.5-1.2	12.0	6.5	1.40
4	-0.9	10.0	4.5	1.10	NEW	5.5-1.3	12.0	6.5	1.50
4	-1.0	10.0	4.5	1.20	NEW	5.5-1.4	12.0	6.5	1.60
4	-1.1	10.5	4.5	1.30	NEW	5.5-1.5	13.0	6.5	1.70
4	-1.2	10.5	4.5	1.40	NEW	5.5-1.6	14.0	6.5	1.84
4	-1.3	11.0	4.5	1.50	NEW	5.5-1.8	14.0	6.5	2.04
4	-1.4	12.0	4.5	1.60	NEW	5.5-2.0	14.0	6.5	2.24
4	-1.5	12.0	4.0	1.70	NEW	5.5-2.2	14.0	6.5	2.48
4	-1.6	12.5	4.5	1.84	NEW	5.5-2.4	14.0	6.5	2.68
4	-1.8	12.5	4.5	2.04	NEW	6 -1.2	14.5	8.0	1.40
4	-2.0	12.5	4.0	2.24	NEW	6 -1.3	13.5	8.0	1.50
4	-2.2	12.5	4.0	2.48	NEW	6 -1.4	13.5	8.0	1.60
4	-2.4	12.5	4.0	2.68	NEW	6 -1.5	14.0	8.0	1.70
4.5-0.8	10.0	4.5	1.00	NEW	6 -1.6	15.0	8.0	1.84	
4.5-0.9	10.0	4.5	1.10	NEW	6 -1.8	15.0	8.0	2.04	
4.5-1.0	10.0	5.0	1.20	NEW	6 -2.0	15.0	8.0	2.24	
4.5-1.1	11.0	5.0	1.30	NEW	6 -2.2	15.0	8.0	2.48	
4.5-1.2	11.0	4.5	1.40	NEW	6 -2.4	15.0	8.0	2.68	
4.5-1.3	12.0	4.5	1.50	NEW	6 -2.6	18.0	8.0	2.91	
4.5-1.4	12.0	4.5	1.60	NEW	6 -2.8	18.0	8.0	3.11	
4.5-1.5	13.0	4.5	1.70	NEW	7 -1.6	18.0	9.5	1.84	
4.5-1.6	13.0	5.0	1.84	NEW	7 -1.8	18.0	9.5	2.04	
4.5-1.8	13.0	5.0	2.04	NEW	7 -2.0	19.0	9.5	2.24	
4.5-2.0	13.0	4.5	2.24	NEW	7 -2.2	19.0	9.5	2.48	
4.5-2.2	13.0	4.5	2.48	NEW	7 -2.4	19.0	9.0	2.68	
4.5-2.4	13.0	4.5	2.68	NEW	7 -2.6	19.0	9.0	2.91	
4.5-2.6	13.0	4.5	2.91	NEW	7 -2.8	19.0	9.0	3.11	
NEW	5 -0.7	10.0	5.7	0.90	NEW	7 -3.0	19.0	9.0	3.33
NEW	5 -0.8	10.0	5.7	1.00	NEW	7 -3.2	19.0	9.0	3.53
NEW	5 -0.9	10.0	5.7	1.10	NEW	8 -1.6	19.0	11.5	1.84
NEW	5 -1.0	10.0	5.7	1.20	NEW	8 -1.8	19.0	11.5	2.04
NEW	5 -1.1	11.0	6.0	1.30	NEW	8 -2.0	20.0	11.5	2.24
NEW	5 -1.2	12.0	6.0	1.40	NEW	8 -2.2	20.0	11.5	2.48
NEW	5 -1.3	12.0	6.0	1.50	NEW	8 -2.4	20.0	11.5	2.68
NEW	5 -1.4	12.5	6.0	1.60	NEW	8 -2.6	20.0	11.5	2.91
NEW	5 -1.5	13.0	6.0	1.70	NEW	8 -2.8	20.0	11.5	3.11
NEW	5 -1.6	14.0	6.0	1.84	NEW	8 -3.0	20.0	11.5	3.33
NEW	5 -1.8	14.0	6.0	2.04	NEW	8 -3.2	20.0	11.5	3.53
NEW	5 -2.0	14.0	6.0	2.24					
NEW	5 -2.2	14.0	6.0	2.48					
NEW	5 -2.4	14.0	6.0	2.68					
NEW	5 -2.6	17.0	6.0	2.91					
NEW	5 -2.8	17.0	6.0	3.11					

## No.1 / 2 - 1

	PLGST	GMLGST	LGST	ELGST
Frame Color	Polished Silver-White	Shiny Gray	Gunsmoke	E Color
Ring Material	SiC <u>SiC</u>	SiC <u>SiC</u>	SiC <u>SiC</u>	SiC <u>SiC</u>
Ring Type → Ring & Pipe Size ↓	J	J	J	J
4 -0.8				
4 -0.9				
4 -1.0				
4 -1.1				
4 -1.2				
4 -1.3				
4 -1.4				
4 -1.5				
4 -1.6				
4 -1.8				
4 -2.0				
4 -2.2				
4 -2.4				
4.5-0.8				
4.5-0.9				
4.5-1.0				
4.5-1.1				
4.5-1.2				
4.5-1.3				
4.5-1.4				
4.5-1.5				
4.5-1.6				
4.5-1.8				
4.5-2.0				
4.5-2.2				
4.5-2.4				
4.5-2.6				
NEW	5 -0.7			
NEW	5 -0.8			
NEW	5 -0.9			
NEW	5 -1.0			
NEW	5 -1.1			
NEW	5 -1.2			
NEW	5 -1.3			
NEW	5 -1.4			
NEW	5 -1.5			
NEW	5 -1.6			
NEW	5 -1.8			
NEW	5 -2.0			
NEW	5 -2.2			
NEW	5 -2.4			
NEW	5 -2.6			
NEW	5 -2.8			

Example 表記例

- PLGST 4-0.8
- GMLGST 4-0.8
- IGLGST 4-0.8
- CCLGAT 4-0.8
- BCLGAT 4-0.8



# LG

Tip Top Guide with  
Stainless Steel



## No.1 / 2 - 2

	I.L.G.S.T	I.C.L.G.S.T	C.C.L.G.A.T	B.C.L.G.A.T	B.L.G.A.T	L.G.A.T	
Frame Color	I.P. Gold	I.P. Shiny Gray	Frosted Silver-White	Frosted Dark-Gray	Black	Silver-White	
Ring Material	SiC <small>SiC</small>	SiC <small>SiC</small>	ALCONITE <small>ALCONITE</small>	ALCONITE <small>ALCONITE</small>	ALCONITE <small>ALCONITE</small>	ALCONITE <small>ALCONITE</small>	
Ring Type →	J	J	UJ	UJ	UJ	UJ	
Ring & Pipe Size ↓							
4 -0.8		—					4 -0.8
4 -0.9							4 -0.9
4 -1.0		—					4 -1.0
4 -1.1		—					4 -1.1
4 -1.2		—					4 -1.2
4 -1.3		—					4 -1.3
4 -1.4							4 -1.4
4 -1.5		—					4 -1.5
4 -1.6		—					4 -1.6
4 -1.8		—					4 -1.8
4 -2.0		—					4 -2.0
4 -2.2		—					4 -2.2
4 -2.4		—					4 -2.4
4.5-0.8		—					4.5-0.8
4.5-0.9		—					4.5-0.9
4.5-1.0		—					4.5-1.0
4.5-1.1		—					4.5-1.1
4.5-1.2		—					4.5-1.2
4.5-1.3		—					4.5-1.3
4.5-1.4		—					4.5-1.4
4.5-1.5		—					4.5-1.5
4.5-1.6		—					4.5-1.6
4.5-1.8		—					4.5-1.8
4.5-2.0		—					4.5-2.0
4.5-2.2		—					4.5-2.2
4.5-2.4		—					4.5-2.4
4.5-2.6		—					4.5-2.6
<b>NEW</b> 5 -0.7		—					5 -0.7
<b>NEW</b> 5 -0.8		—					5 -0.8
<b>NEW</b> 5 -0.9		—					5 -0.9
<b>NEW</b> 5 -1.0		—					5 -1.0
<b>NEW</b> 5 -1.1		—					5 -1.1
<b>NEW</b> 5 -1.2		—					5 -1.2
<b>NEW</b> 5 -1.3		—					5 -1.3
<b>NEW</b> 5 -1.4		—					5 -1.4
<b>NEW</b> 5 -1.5		—					5 -1.5
<b>NEW</b> 5 -1.6		—					5 -1.6
<b>NEW</b> 5 -1.8		—					5 -1.8
<b>NEW</b> 5 -2.0		—					5 -2.0
<b>NEW</b> 5 -2.2		—					5 -2.2
<b>NEW</b> 5 -2.4		—					5 -2.4
<b>NEW</b> 5 -2.6		—					5 -2.6
<b>NEW</b> 5 -2.8		—					5 -2.8



# LG

Tip Top Guide with  
Stainless Steel



## No.2 / 2 - 2

	IGLGST	ICLGST	CCLGAT	BCLGAT	BLGAT	LGAT	
Frame Color	I.P. Gold	I.P. Shiny Gray	Frosted Silver-White	Frosted Dark-Gray	Black	Silver-White	
Ring Material	SiC <small>SiC</small>	SiC <small>SiC</small>	ALCONITE <small>ALCONITE</small>	ALCONITE <small>ALCONITE</small>	ALCONITE <small>ALCONITE</small>	ALCONITE <small>ALCONITE</small>	
Ring Type→	J	J	UJ	UJ	UJ	UJ	
Ring & Pipe Size↓							
NEW 5.5-1.2		—					5.5-1.2
NEW 5.5-1.3		—					5.5-1.3
NEW 5.5-1.4		—					5.5-1.4
NEW 5.5-1.5		—					5.5-1.5
NEW 5.5-1.6		—					5.5-1.6
NEW 5.5-1.8		—					5.5-1.8
NEW 5.5-2.0		—					5.5-2.0
NEW 5.5-2.2		—					5.5-2.2
NEW 5.5-2.4		—					5.5-2.4
NEW 6 -1.2		—					6 -1.2
NEW 6 -1.3		—					6 -1.3
NEW 6 -1.4		—					6 -1.4
NEW 6 -1.5		—					6 -1.5
NEW 6 -1.6		—					6 -1.6
NEW 6 -1.8		—					6 -1.8
NEW 6 -2.0		—					6 -2.0
NEW 6 -2.2		—					6 -2.2
NEW 6 -2.4		—					6 -2.4
NEW 6 -2.6		—					6 -2.6
NEW 6 -2.8		—					6 -2.8
NEW 7 -1.6	—	—					7 -1.6
NEW 7 -1.8	—	—					7 -1.8
NEW 7 -2.0	—	—					7 -2.0
NEW 7 -2.2	—	—					7 -2.2
NEW 7 -2.4	—	—					7 -2.4
NEW 7 -2.6	—	—					7 -2.6
NEW 7 -2.8	—	—					7 -2.8
NEW 7 -3.0	—	—					7 -3.0
NEW 7 -3.2	—	—					7 -3.2
NEW 8 -1.6	—	—					8 -1.6
NEW 8 -1.8	—	—					8 -1.8
NEW 8 -2.0	—	—					8 -2.0
NEW 8 -2.2	—	—					8 -2.2
NEW 8 -2.4	—	—					8 -2.4
NEW 8 -2.6	—	—					8 -2.6
NEW 8 -2.8	—	—					8 -2.8
NEW 8 -3.0	—	—					8 -3.0
NEW 8 -3.2	—	—					8 -3.2